Designer Wraps®
CUSTOM GRAPHICS
PROFESSIONAL INSTALLATIONS
856.265.0700 | WWW.DESIGNERWRAPS.COM

IDS
Interior Design Solutions
MASTER DISTRIBUTOR OF NORTH AMERICA
1.866.953.4662 | WWW.BELBIENUSA.COM
INFO@IDSFINISHES.COM

JL57

belbien® | 2013-16
BELBIEN SAMPLE BOOK

2015 NEW PATTERN
+32

+32 2015 NEW PATTERN

2014 NEW PATTERN
+16

+16 2014 NEW PATTERN

C.I. KASEI CO., LTD.

C.I. KASEI CO., LTD.

belbien® | 2013-16
BELBIEN SAMPLE BOOK

2015 NEW

TRADITIONAL WA MODERN

code	size
DA, F	W 1,220mm×L 50m
CM	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15. Do not use CM type on 3D curved surface. Choose smooth, flat and non-porous substrates.
In overlap installation of CM-121 and CM-124, please make sure to sand and apply primer on overlapping part.

1



CM-121 NEW
Sage
W=630 H=640 1/2step

CM-122 NEW
Confiance
W=630 H=640 1/2step

2

F-468 NEW
Tsumugi Noir
W=260 H=360 box

F-468 (Tsumugi Noir)

3

DA-75 (Grunge Fer)

DA-75 NEW
Grunge Fer
W=510 H=330 1/2step

CM-123 NEW
Grunge Etain
W=525 H=315 1/2step

4

CM-124 NEW
Grunge Cuivre
W=450 H=640 1/2step

A B C D

Views and patterns provided by *KASANE*

2015

To the next stage

CM-120 NEW
Kagerou
W=315 H=915 1/2step

size
W 1,220mm×L 50m





DA-70 NEW
Shiranui
W=310 H=935 1/2step

size
W 1,220mm×L 50m



Shapeless forms mirrored by wa no kokoro — the harmony-oriented mindset of the Japanese people

As new elements, we added different patterns produced by natural forms created by the Japanese gods to express a new quality.
With new individuality produced by many layers of different elements and with quality developing over time, the belbien 2015 series offers 32 patterns.

2015 NEW TRADITIONAL WA MODERN

code	size
DA, F	W 1,220mm×L 50m
SW	W 1,220mm×L 50m

B : Burl Grain C : Cathedral Grain S : Straight Grain SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.
Anti-microbial finish is available for SW type. Ask your Belbien dealers for details.

1

DA-71 NEW
Nocturne Chanvre
W=440 H=670 1/2step

DA-72 NEW
Frore Chanvre
W=440 H=670 1/2step

DA-74 NEW
Noir Crack
W=585 H=660 box

DA-73 NEW
Blanche Crack
W=585 H=660 box

2

F-469 NEW
Venus Satin
W=480 H=650 box

F-470 NEW
Luna Satin
W=480 H=650 box

3

SW-146 NEW
Shibusumi Gaki
W=590 H=970 1/2step SC

SW-145 NEW
Shiratsuchi Gaki
W=590 H=970 1/2step SC

4



SW-144 NEW
Kaki
W=590 H=970 1/2step SC

SW-144 (Kaki)

www.belbien.net/english/index.html

A B C D

2015 NEW STANDARD+

code	size
W	W 1,220mm×L 50m
SW	W 1,220mm×L 50m

B : Burl Grain C : Cathedral Grain S : Straight Grain SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.
Anti-microbial finish is available for SW type. Ask your Belbien dealers for details.

1

SW-147 NEW
Naked Italian Walnut
W=585 H=960 1/2step SC



SW-148 NEW
Naked American Walnut
W=585 H=960 1/2step SC



W-617 NEW
Naked Italian Walnut
W=415 H=790 1/2step S



W-618 NEW
Naked American Walnut
W=415 H=790 1/2step S

2



W-619 NEW
Valois Walnut
W=415 H=790 1/2step S



W-620 NEW
Évreux Walnut
W=415 H=790 1/2step S

W-621 NEW
Snow Larch
W=530 H=940 1/2step S

2015 NEW BASIC COLOR+

code	size
BC, NC, PR	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.

3

NC-170 NEW
Precious White Ridge
7GY 9.4/0.1

BC-142 NEW
Warm White Ridge
7.5Y 9.5/0.2

NC-171 NEW
Trust White Ridge
10Y 9.0/0.4

NC-173 NEW
Black Ridge
N 1.9/

4

NC-174 NEW
Precious White Ruffle
7GY 9.4/0.1

NC-176 NEW
Trust White Ruffle
10Y 9.0/0.4

NC-175 NEW
Black Ruffle
N 1.9/

PR-300 NEW
Very Red Ruffle
6R 3.7/12.3

www.belbien.net/english/index.html

A B C D

Traditional Wa modern

DA-66
Izanami
W=420 H=475 1/2step

DA-67
Izanagi
W=420 H=475 1/2step

DA-68
Amateru
W=420 H=470 1/2step

DA-69
Tsukiyomi
W=420 H=470 1/2step

Harmony-oriented mind-set of Japanese people dwelling in craftsmanship

Japanese people have worshipped nature and valued harmony. This harmony-oriented spirit also dwells in our craftsmanship.

Delicacy that gives special attention to details; stubbornness about craftsmanship for making better products; and intuitions and experts' techniques-these elements produced the belbien brand products, which give delicate individuality specific to craft products rather than industrial products.

Traditional Wa Modernity is materialized by connecting the cultivated techniques with modern sensibilities—tradition and innovation—using our mind and craftsmanship. We named these conceptual patterns after the Japanese gods who created Japan.

The belbien 2014 series offers 16 patterns including 11 patterns of Traditional Wa Modernity.

* These films are directional.
When applying films, please ensure that the orientation of the logo printed on the released paper is correct.

Richness and quality provided by *KASANE*

2014 — into the future





Pursuance of texture.

Texture of belbien is one and only. It becomes possible only because of consistent production in our own factory in Japan. Lapping over materials, lapping over printing, and lapping over passions of workmen — they can yield infinite possibilities. Belbien is aiming for endless challenge to infinite quality which "KASANE" can create.

2014 NEW TRADITIONAL WA MODERN

code	size
DA	W 1,220mm×L 50m
SW	W 1,220mm×L 50m
CM	W 1,220mm×L 50m

B : Burl Grain　C : Cathedral Grain　S : Straight Grain　SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.
Do not use CM type on 3D curved surface. Choose smooth, flat and non-porous substrates.
Anti-microbial finish is available for SW type. Ask your Belbien dealers for details.

1

DA-63 NEW
Frore Cascade
W=505 H=335 1/2step

DA-64 NEW
Nocturne Cascade
W=505 H=335 1/2step



DA-64 (Nocturne Cascade)

2



DA-65 NEW
Carta Solid
W=465 H=780 box

DA-62 NEW
Haily Graphite
W=450 H=660 1/2step

3

CM-66 (Chevalier)

CM-66 NEW
Chevalier
H=635

SW-141 NEW
Sen
W=270 H=970 1/2step　S

4

CM-65 NEW
Sand Etain
W=450 H=630 1/2step

A　B　C　D

2014 NEW DESIGNERS WOOD

code	size
SW	W 1,220mm×L 50m

B : Burl Grain　C : Cathedral Grain　S : Straight Grain　SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.
Anti-microbial finish is available for SW type. Ask your Belbien dealers for details.

1

SW-142 NEW
Margot Walnut
W=585 H=955 1/2step　SC

SW-143 NEW
Henri Walnut
W=585 H=955 1/2step　SC

2

2014 NEW METAL

code	size
CO	W 1,220mm×L 50m
FM	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.
Do not use FM type on 3D curved surface. Choose smooth, flat and non-porous substrates.

Twinkling effect
Twinkling effect under lights.

3

CO-183 NEW
Capella Grano

FM-42 NEW
Precious Stainless

FM-43 NEW
Pink Gold

4

A　B　C　D

There is a thing which cannot be created without step-by-step efforts.

1980

Everything has started from here.

In 1980s, C.I.Kasei has embarked on developing PVC films along with growing demand of architectural finishes. Starting from zero — it was a challenge — but at the same time, it enabled them to come up brand new ideas and work on many different types of techniques. The concept of belbien's origin was to pursue the expression which only PVC films can do.

New Category, [Vintage Modern] [Super Abstract]

2013

into the future



Seeking for better quality.

SUPER ABSTRACT

code	size
DA	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.

DA-47 NEW
SHIRAHIME
W=445 H=650 1/2step



DA-48 NEW
KUROHIME
W=445 H=650 1/2step



DA-48 (KUROHIME)

PRIMARY DESIGN

code	size
DA	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.



DA-44 NEW
SAHOHIME



DA-45 NEW
TSUTSUHIME



DA-46 NEW
TATSUTAHIME

VINTAGE MODERN

code	size
DA	W 1,220mm×L 50m
SW	W 1,220mm×L 50m

B : Burl Grain C : Cathedral Grain S : Straight Grain SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.
Anti-microbial finish is available for SW type. Ask your Belbien dealers for details.

Color Fastness
3-5years

Please refer to
"Technical Data" P13-14.

SW-128 NEW
Naked Elm
W=485 H=1000 1/2step S

SW-130 NEW
Dull Chic Elm
W=485 H=1000 1/2step S

SW-131 NEW
Shabby Chic Elm
W=485 H=1000 1/2step S

SW-129 NEW
Grunge Chic Elm
W=485 H=1000 1/2step S

DA-54 NEW
Rusty Gray
W=345 H=670 1/2step

DA-52 NEW
Rusty Brown
W=345 H=670 1/2step

DA-53 NEW
Rusty Charcoal
W=345 H=670 1/2step

SW-131 (Shabby Chic Elm)

ABSOLUTE TEX

code	size
A, DA, F	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.

Color Fastness 3-5years | Twinkling effect under lights.

Please refer to "Technical Data" P13-14.

1

DA-57 NEW
Luna Linea
W=200 H=400 box

DA-58 NEW
Baron Lattice
W=200 H=400 box

DA-61 NEW
Snow Lattice
W=200 H=400 box

2

DA-55 NEW
White Lattice
W=200 H=400 box

DA-56 NEW
Charcoal Line
W=200 H=400 box

F-718 NEW
Snow Satin

F-717 NEW
Dark Satin

3

F-2745 NEW
Cheval Blanc
W=75 H=130 1/2step

F-746 NEW
Cheval Noir
W=75 H=130 1/2step

F-409 NEW
Snow Nest

F-408 NEW
Fabric Metal

4



DA-42 NEW
Monochrome Dripping
W=340 H=675 1/2step



A-843 NEW
Galaxy Dripping
W=340 H=675 1/2step

A B C D

ABSOLUTE TEX

code	size
DA, F	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.

Color Fastness 3-5years | Twinkling effect under lights.

Please refer to "Technical Data" P13-14.

1

F-719 NEW
White Linen
W=500 H=330 box

DA-49 NEW
Haily Snow
W=460 H=335 box

DA-51 NEW
Haily Neige
W=460 H=335 box

DA-50 NEW
Frosty Snow
W=435 H=670 1/2step

2

DA-43 NEW
Cream Dripping
W=340 H=675 1/2step

DA-38 NEW
Haily Cream
W=460 H=335 box

3



DA-58 (Baron Lattice)

A B C D

Designers Wood

code	size
W	W 1,220mm×L 50m
SW	W 1,220mm×L 50m

B : Burl Grain　C : Cathedral Grain　S : Straight Grain　SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.
Do not use CM type on 3D curved surface. Choose smooth, flat and non-porous substrates.
Anti-microbial finish is available for SW type. Ask your Belbien dealers for details.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

1

SW-134 NEW
White Purplewood
W=480 H=970 1/2step　SC

SW-138 NEW
Gramme Ebony
W=630 H=970 1/2step　S

SW-135 NEW
Brosse Macassar
W=430 H=970 1/2step　C

SW-136 NEW
Husky Macassar
W=430 H=970 1/2step　C

2

SW-133 NEW
Snow Elm
W=485 H=1000 1/2step　S

SW-137 NEW
Bitter Elm
W=485 H=1000 1/2step　S

SW-127 NEW
Grayish Elm
W=460 H=970 1/2step　SC

W-224 NEW
Zebra Marino
W=480 H=970 1/2step　S

3

W-305 NEW
White Paulownia
W=340 H=960 1/2step　S

W-223 NEW
Zebra Vino
W=480 H=970 1/2step　S

SW-135 (Brosse Macassar)

4

W-304 NEW
Vanilla Ash
W=300 H=810 box　S

W-306 NEW
Modest Ash
W=505 H=945 1/2step　S

Wood Plus

code	size
WB	W 1,220mm×L 50m

B : Burl Grain　C : Cathedral Grain　S : Straight Grain　SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.

1

WB-401 NEW
Canard Oak
W=430 H=970 1/2step　S

WB-400 NEW
Lapin Oak
W=430 H=970 1/2step　S

WB-402 NEW
Balena Oak
W=430 H=970 1/2step　S

2

WB-403 NEW
Siberian Oak
W=525 H=970 1/2step　S

WB-404 NEW
Gale Oak
W=525 H=970 1/2step　S

WB-405 NEW
Bison Oak
W=525 H=970 1/2step　S

3

Super Real Wood

code	size
SW	W 1,220mm×L 50m

B : Burl Grain　C : Cathedral Grain　S : Straight Grain　SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.
Anti-microbial finish is available for SW type. Ask your Belbien dealers for details.

4

SW-139 NEW
Real Oak
W=485 H=1000 1/2step　S

SW-140 NEW
Real Oak
W=415 H=970 1/2step　C

LEATHER

code	size
K	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

1

K-200 NEW
White Morocco
W=215 H=200 box

K-203 NEW
Bitter Morocco
W=215 H=200 box



K-207 NEW
Bitter Calf

K-206 NEW
Black Calf

2

ABSTRACT PATTERN

code	size
A, S	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.

3

S-534 NEW
Lily Sand
W=300 H=670 1/2step

S-535 NEW
Peony Sand
W=300 H=670 1/2step

S-536 NEW
Carne Arena
W=300 H=670 1/2step

S-537 NEW
Cielo Arena
W=300 H=670 1/2step

4

A-844 NEW
Trèfle Blanc
W=430 H=670 1/2step

A-845 NEW
Primavera
W=430 H=670 1/2step

A-846 NEW
Bruma Rosso
W=430 H=670 1/2step

A B C D

METAL / CHAMBRAY COLOR

code	size
CO, CY	W 1,220mm×L 50m
FM	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.
Do not use FM type on 3D curved surface. Choose smooth, flat and non-porous substrates.

Twinkling effect

Twinkling effect under lights.

1

CO-195 NEW
Blanche Sablon

CO-197 NEW
Charcoal Sablon

CO-196 NEW
Noir Sablon

CO-198 NEW
Gold Sablon

2

CO-180 NEW
Luna Grano

CO-181 NEW
Meteor Grano

CO-182 NEW
Space Grano

CO-291 NEW
Sable Noir

3

FM-38 NEW
Precious Silver



FM-39 NEW
Precious Gold

FM-40 NEW
Silver Spin

FM-41 NEW
Gold Spin

4

FM-37 NEW
Silver Blast

CY-111 NEW
Luminance Noir

A B C D

Naked Wood

code	size
SW	W 1,220mm×L 50m

B : Burl Grain C : Cathedral Grain S : Straight Grain SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.
Anti-microbial finish is available for SW type. Ask your Belbien dealers for details.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

Elm

1

SW-128 NEW
Naked Elm
W=485 H=1000 1/2step S

Ash

SW-113
Naked Ash
W=270 H=970 1/2step S

SW-114
Browny Ash
W=270 H=970 1/2step S

Oak

2

SW-123
Naked Oak
W=375 H=810 box S

SW-124
Naked Oak
W=575 H=1085 1/2step SC

Walnut

3

SW-119
Naked Walnut
W=410 H=810 box S

SW-120
Naked Walnut
W=600 H=970 1/2step SC

Cherry

SW-118
Naked Cherry
W=400 H=810 1/2step S

Teak

SW-115
Naked Teak
W=240 H=810 1/2step S

4

Vintage Modern

code	size
SW	W 1,220mm×L 50m

B : Burl Grain C : Cathedral Grain S : Straight Grain SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.
Anti-microbial finish is available for SW type. Ask your Belbien dealers for details.

Elm

5

SW-130 NEW
Dull Chic Elm
W=485 H=1000 1/2step S

SW-131 NEW
Shabby Chic Elm
W=485 H=1000 1/2step S

SW-129 NEW
Grunge Chic Elm
W=485 H=1000 1/2step S

A B C D

Super Real Wood

code	size
SW	W 1,220mm×L 50m

B : Burl Grain C : Cathedral Grain S : Straight Grain SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.
Anti-microbial finish is available for SW type. Ask your Belbien dealers for details.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

Elm

1

SW-76
White Elm
W=430 H=970 1/2step SC

SW-70
Petit Elm
W=460 H=970 1/2step SC

Ash

SW-60
Mave Ash
W=270 H=970 1/2step S

SW-61
Oisein Ash
W=270 H=970 1/2step S

Oak

2

SW-125
Ivory Oak
W=375 H=810 box S

SW-126
Ivory Oak
W=575 H=1085 1/2step SC



SW-64
Irene Oak
W=575 H=1085 1/2step SC

Oak

3

SW-139 NEW
Real Oak
W=485 H=1000 1/2step S

SW-140 NEW
Real Oak
W=415 H=970 1/2step C

SW-54
Viera Oak
W=575 H=1085 1/2step SC

SW-55
Aruba Oak
W=575 H=1085 1/2step SC

Maple

4

SW-33
Bird's Eye Natural
W=295 H=970 box B

Anigre

SW-44
Central Anigre
W=290 H=970 1/2step S

SW-66
Victorian Anigre
W=290 H=970 1/2step S

SW-67
Kenyan Anigre
W=290 H=970 1/2step S

Sycamore

5

SW-95
Grace Sycamore
W=450 H=970 1/2step S

SW-96
Natalie Sycamore
W=450 H=970 1/2step S

SW-72
Beige Sycamore
W=620 H=970 1/2step SC

SW-97
Loren Sycamore
W=450 H=970 1/2step S

A B C D

SUPER REAL WOOD

code	size
SW	W 1,220mm×L 50m

B : Burl Grain C : Cathedral Grain S : Straight Grain SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.
Anti-microbial finish is available for SW type. Ask your Belbien dealers for details.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

Cherry

1

SW-18
Omi Sakura
W=400 H=810 1/2step S

SW-27
Omi Sakura
W=415 H=970 box C

SW-80
Siena Cherry
W=400 H=810 1/2step S

SW-93
Siena Cherry
W=400 H=805 1/2step S

Cherry

2



SW-117
Baked Cherry
W=400 H=810 1/2step S

SW-43
Angel Wood
W=370 H=970 1/2step SC

SW-81
Mid Cherry
W=400 H=810 1/2step S

SW-47
Palace Cherry
W=400 H=810 1/2step S

Walnut

3

SW-45
Rosé Walnut
W=410 H=810 box S

SW-56
Rosé Walnut
W=410 H=970 1/2step C

SW-100
Elite Walnut
W=600 H=970 1/2step SC

SW-98
Rosé Walnut
W=1220 H=400 box S

Walnut

4

SW-46
Marée Walnut
W=410 H=810 box S

SW-57
Marée Walnut
W=410 H=970 1/2step C

SW-101
Grand Walnut
W=600 H=970 1/2step SC

Walnut

5

SW-19
Valois Walnut
W=410 H=810 box S

SW-24
Valois Walnut
W=410 H=970 1/2step C

SW-102
Dandy Walnut
W=600 H=970 1/2step SC

SW-99
Valois Walnut
W=1220 H=400 box S

A B C D

SUPER REAL WOOD

code	size
SW	W 1,220mm×L 50m

B : Burl Grain C : Cathedral Grain S : Straight Grain SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.
Anti-microbial finish is available for SW type. Ask your Belbien dealers for details.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

Teak

1

SW-15
Victoria Teak
W=240 H=810 1/2step S

SW-58
Milano Teak
W=585 H=970 1/2step C

SW-79
Almagnac Teak
W=240 H=810 1/2step S

SW-59
Torino Teak
W=585 H=970 1/2step C

Teak

2



SW-90
Modern Teak
W=580 H=970 1/2step S

SW-91
Moderate Teak
W=580 H=970 1/2step S

SW-84
Frigo Teak
W=240 H=810 1/2step S

Keyaki

3

SW-28
Keyaki
W=290 H=1300 box C

Karin

SW-17
Menam Karin
W=265 H=810 1/2step S

SW-25
Menam Karin
W=415 H=970 box C

SW-63
Miyama Karin
W=265 H=810 1/2step S

Rosewood

4

SW-26
Glory Rose
W=405 H=970 box C

SW-32
Glory Rose
W=415 H=970 box B

Purplewood

SW-88
Purplewood
W=480 H=970 1/2step SC

SW-89
Dark Purplewood
W=480 H=970 1/2step SC

Macassar

5

SW-74
Antique Macassar
W=430 H=970 1/2step C

SW-75
Black Macassar
W=430 H=970 1/2step C

Ebony

SW-108
Great Ebony
W=630 H=970 1/2step S

A B C D

SUPER REAL WOOD

code	size
SW	W 1,220mm×L 50m

B : Burl Grain C : Cathedral Grain S : Straight Grain SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.
Anti-microbial finish is available for SW type. Ask your Belbien dealers for details.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

Mahogany

SW-16
Wave Mahogany
W=685 H=810 1/2step S

SW-105
Emu Mahogany
W=570 H=970 1/2step S

SW-103
Vector Mahogany
W=570 H=970 1/2step S

Mahogany

SW-107
Mach Mahogany
W=570 H=970 1/2step S

SW-106
Kaiser Mahogany
W=570 H=970 1/2step S

SW-104
Spin Mahogany
W=570 H=970 1/2step S

SW-116
Dark Mahogany
W=570 H=970 1/2step S

Sapele

SW-10
Jeune Sapele
W=390 H=810 box S

SW-20
Jeune Sapele
W=410 H=970 box C

SW-62
Beaune Sapele
W=390 H=810 box S

Bubinga

SW-85
Bubinga Bello
W=560 H=970 1/2step S

SW-86
Bubinga Rosso
W=560 H=970 1/2step S

Wenge

SW-48
Wenge
W=405 H=970 1/2step S

SW-49
Dark Wenge
W=405 H=970 1/2step S

WOOD

code	size
W, WA	W 1,220mm×L 50m

B : Burl Grain C : Cathedral Grain S : Straight Grain SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

Elm

W-250
Comet Elm
W=455 H=980 1/2step S

W-251
Luna Elm
W=455 H=980 1/2step S

Ash

W-252
Swan Ash
W=565 H=1300 1/2step S

W-714
Light Ash
W=300 H=810 box S

W-715
Natural Ash
W=300 H=810 box S

Ash

W-253
Turkey Ash
W=565 H=1300 1/2step S

W-716
Light Gray Ash
W=300 H=810 box S

W-717
Cinnamon Ash
W=300 H=810 box S

W-244
Remain Ash
W=400 H=970 box S

W-245
Deep Ash
W=400 H=970 box S

Pine

W-753
Karon Pine
W=475 H=1015 1/2step S

Poplar

W-316
Franc Poplar
W=290 H=970 1/2step S

W-334
Real Poplar
W=425 H=970 1/2step S

Beech

W-203
Carnus Beech
W=680 H=1085 1/2step SC

Tamo

W-385
Yachi Tamo
W=340 H=990 1/2step S

Oak

W-200
White Oak
W=525 H=970 1/2step S

W-390
Slender Oak
W=470 H=985 1/2step C

W-719
Missouri Gray
W=430 H=970 1/2step S

W-720
Missouri Light
W=430 H=970 1/2step S

W-721
Missouri Oak
W=430 H=970 1/2step S

Oak

W-345
Oscar Oak
W=585 H=970 1/2step SC

W-346
Bernerd Oak
W=585 H=970 1/2step SC

WA-380
Nuts Oak
W=480 H=980 1/2step S

W-201
Bisky Oak
W=525 H=970 1/2step S

WA-381
Sienna Oak
W=480 H=980 1/2step S

Oak

WA-382
Dark Umber Oak
W=480 H=980 1/2step S

W-262
Storm Oak
W=400 H=1320 1/2step S

W-391
Modest Oak
W=470 H=985 1/2step C

W-202
Bitter Oak
W=525 H=970 1/2step S

W-303
Black Oak
W=535 H=810 box S

WOOD

code	size
W, WA	W 1,220mm×L 50m

B : Burl Grain C : Cathedral Grain S : Straight Grain SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

1

Maple

W-757 Iris Maple W=610 H=1325 1/2step SC	**W-320** Léger Maple W=365 H=970 1/2step S	**W-786** Leo Maple W=525 H=1340 1/2step C	**W-787** Lia Maple W=525 H=1340 1/2step C	**W-321** Lourd Maple W=365 H=970 1/2step S

2

Maple

W-327 Curly Maple Pure W=440 H=970 1/2step B	**W-377** Bird's Eye Bianco W=160 H=995 1/2step B	**W-780** Bird's Eye Maple W=160 H=995 1/2step B	**W-207** Bird's Eye Rosé W=295 H=970 box B	

Burl

W-378 Jaguar Burl W=370 H=330 box B	

3

Sycamore

W-727 Aurora Sycamore W=620 H=960 box S	**W-213** Cremona Sycamore W=590 H=970 1/2step S	**W-330** Silk Sycamore W=285 H=970 box S	**W-728** Ariel Sycamore W=620 H=960 box S	**W-215** Dark Sycamore W=590 H=970 1/2step S

4

Anigre

WA-256 Fresh Anigre W=525 H=1325 1/2step S	**WA-257** Pleasant Anigre W=525 H=1325 1/2step S	**W-254** Balazs Anigre W=545 H=1000 1/2step S	**W-374** Epoca Anigre W=460 H=995 1/2step S	**W-373** Verde Anigre W=460 H=995 1/2step S

5

Anigre

W-255 Coupé Anigre W=545 H=1000 1/2step S

Cherry

WA-386 Malaga Cherry W=335 H=980 1/2step S	**W-360** Sakura W=415 H=995 1/2step C	**W-722** Yoshino Sakura W=400 H=810 1/2step S	**W-392** Alabama Cherry W=330 H=1325 1/2step S	

6

Cherry

W-764 Massive Cherry W=370 H=1005 1/2step S	**W-388** Toronto Cherry W=585 H=990 1/2step C	**W-205** Mandarin Cherry W=565 H=970 1/2step SC	**WA-387** Guel Cherry W=335 H=980 1/2step S	**W-389** Quebec Cherry W=585 H=990 1/2step C

WOOD

code	size
W, WA	W 1,220mm×L 50m

B : Burl Grain C : Cathedral Grain S : Straight Grain SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

1

Cherry

W-765 Country Cherry W=370 H=1005 1/2step S	**WA-227** Berg Cherry W=565 H=970 1/2step SC	**W-393** Memphis Cherry W=330 H=1325 1/2step S	**W-394** Tennessee Cherry W=330 H=1325 1/2step S	

Pear

WA-229 Vintage Pear W=620 H=970 1/2step C

2

Noce

WA-233 Primo Noce W=725 H=970 1/2step S	**WA-232** Reggina Noce W=725 H=970 1/2step S	**W-248** Lucido Noce W=480 H=970 1/2step S	**W-249** Rosso Noce W=480 H=970 1/2step S	

Walnut

W-358 Queen's Walnut W=410 H=980 1/2step C

3

Alder

WA-225 Roast Alder W=470 H=970 1/2step SC

Katsura

W-333 Roman Wood W=350 H=970 1/2step S	**W-206** Kind Wood W=350 H=970 1/2step S	**W-336** Tender Wood W=350 H=970 1/2step S	

Keyaki

W-356 Yamato Keyaki W=605 H=1325 1/2step C

4

Sen

W-367 Sen W=410 H=980 1/2step C

Hinoki

W-371 Bisyu Hinoki W=465 H=995 box S	**W-372** Kiso Hinoki W=465 H=995 box S	**W-723** Aizu Kiri W=340 H=960 1/2step S

Kiri

W-724 Sumizome Kiri W=340 H=960 1/2step S

5

Zebrawood

W-210 Zebra Nova W=480 H=970 1/2step S	**W-211** Zebra Rosso W=480 H=970 1/2step S

Teak

W-282 Nadia Teak W=560 H=1340 1/2step SC

Karin

W-364 Sumie Karin W=170 H=995 1/2step S

Bamboo

W-726 Charcoal Bamboo W=630 H=970 1/2step S

6

Mahogany

W-376 Deep Mahogany W=385 H=995 1/2step S	**W-281** Senegal Mahogany W=475 H=830 1/2step S	**WA-258** Prime Mahogany W=600 H=1325 1/2step S	**WA-259** Old Mahogany W=600 H=1325 1/2step S	

Ebony

W-218 Ebony Classico W=500 H=970 1/2step S

Designers Wood

code	size
W	W 1,220mm×L 50m
SW	W 1,220mm×L 50m
CM	W 1,220mm×L 50m

B : Burl Grain　C : Cathedral Grain　S : Straight Grain　SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.
Do not use CM type on 3D curved surface. Choose smooth, flat and non-porous substrates.
Anti-microbial finish is available for SW type. Ask your Belbien dealers for details.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

1

SW-134 NEW
White Purplewood
W=480 H=970 1/2step SC

SW-138 NEW
Gramme Ebony
W=630 H=970 1/2step S

W-305 NEW
White Paulownia
W=340 H=960 1/2step S

W-223 NEW
Zebra Vino
W=480 H=970 1/2step S

2

SW-133 NEW
Snow Elm
W=485 H=1000 1/2step S

SW-137 NEW
Bitter Elm
W=485 H=1000 1/2step S

W-304 NEW
Vanilla Ash
W=300 H=810 box S

W-306 NEW
Modest Ash
W=505 H=945 1/2step S

3

SW-111
White Ash
W=270 H=970 1/2step S

SW-112
Charcoal Ash
W=270 H=970 1/2step S

CM-51
Flow Cream
W=310 H=645 1/2step

CM-52
Flow Black
W=310 H=645 1/2step

4

CM-82
White Tineo
W=610 H=915 1/2step

CM-83
Dark Tineo
W=610 H=915 1/2step

SW-77
Dark Elm
W=430 H=970 1/2step SC

SW-110
Black Elm
W=460 H=970 1/2step SC

5

SW-82
White Teak
W=240 H=810 1/2step S

SW-92
Gray Teak
W=580 H=970 1/2step S

SW-73
Dark Sycamore
W=620 H=970 1/2step SC

SW-65
Nadja Oak
W=575 H=1085 1/2step SC

A　B　C　D

Designers Wood

code	size
W	W 1,220mm×L 50m
SW	W 1,220mm×L 50m

B : Burl Grain　C : Cathedral Grain　S : Straight Grain　SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.
Do not use CM type on 3D curved surface. Choose smooth, flat and non-porous substrates.
Anti-microbial finish is available for SW type. Ask your Belbien dealers for details.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

1

SW-135 NEW
Brosse Macassar
W=430 H=970 1/2step C

SW-136 NEW
Husky Macassar
W=430 H=970 1/2step C

W-216
Line Walnut
W=600 H=970 1/2step

W-217
Line Dark Walnut
W=600 H=970 1/2step

2

SW-127 NEW
Grayish Elm
W=460 H=970 1/2step SC

W-224 NEW
Zebra Marino
W=480 H=970 1/2step S

SW-121
White Bubinga
W=560 H=970 1/2step S

SW-122
Black Bubinga
W=560 H=970 1/2step S

Wood Plus

code	size
WB	W 1,220mm×L 50m

B : Burl Grain　C : Cathedral Grain　S : Straight Grain　SC : Straight / Cathedral Grain

When selecting from below, please be sure to read "Technical Data" P13-P15.

4

WB-401 NEW
Canard Oak
W=430 H=970 1/2step S

WB-400 NEW
Lapin Oak
W=430 H=970 1/2step S

WB-402 NEW
Balena Oak
W=430 H=970 1/2step S

5

WB-403 NEW
Siberian Oak
W=525 H=970 1/2step S

WB-404 NEW
Gale Oak
W=525 H=970 1/2step S

WB-405 NEW
Bison Oak
W=525 H=970 1/2step S

A　B　C　D

Absolute Tex

code	size
DA, F	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

1

DA-35
Haily White
W=460 H=335 box

DA-37
Haily Brown
W=460 H=335 box

DA-36
Haily Black
W=460 H=335 box

2

DA-40
White Dripping
W=340 H=675 1/2step

DA-41
Black Dripping
W=340 H=675 1/2step

3

DA-39
Frosty White
W=435 H=670 1/2step

F-716
Kasuri Charcoal
W=1220 H=830 box

F-715
Kasuri Brun
W=1220 H=830 box

F-714
Kasuri Noir
W=1220 H=830 box

4

F-720
Ivory Linen
W=500 H=330 box

F-721
Earthy Linen
W=500 H=330 box

F-722
Ethnic Linen
W=500 H=330 box

F-723
Black Linen
W=500 H=330 box

5

F-433
White Kasuri
W=450 H=645 1/2step

F-434
Black Kasuri
W=450 H=645 1/2step

A | B | C | D

Abstract Pattern

code	size
A, C, S	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.

1

A-853
Kirara Coquille
W=440 H=985 1/2step

S-519
Milky Sand
W=300 H=670 1/2step

C-658
Porcelain
W=410 H=490 1/2step

C-659
Porcelain Cool
W=410 H=490 1/2step

2

A-830
D'Azur
W=430 H=670 1/2step

A-831
Casales
W=430 H=670 1/2step

A-832
Marubera
W=430 H=670 1/2step

A-723
Marina
W=440 H=670 box

A-725
Stella
W=440 H=670 box

3

A-753
Fox Flare
W=910 H=995 box



C-657
Agate Quartz
W=605 H=980 1/2step

C-605
Silvy Shell
W=440 H=335 1/2step

C-607
Mist Shell
W=440 H=335 1/2step

4

A-824
Arashi Cloth
W=340 H=670 1/2step

5

6

A | B | C | D | E

METAL

code	size
BR, CO	W 1,220mm×L 50m
A, F	W 1,220mm×L 50m
CM	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.
Do not use CM・FM type on 3D curved surface. Choose smooth, flat and non-porous substrates.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

1

BR-604
Stainless Vibration

BR-601
Yellow Vibration

BR-600
Red Vibration

BR-602
Dark Vibration

BR-603
Blue Vibration

2

CO-285
Silver Ash

CO-281
Stormy Silver

BR-291
Gold Blade

BR-292
Bronze Blade

BR-296
Peridot Blade

3

BR-398
Silver Neige

A-731
Tempyo
W=345 H=670 1/2step

F-464
Sotatsu
W=305 H=400 1/2step

4

BR-381
Fiber Silver

BR-382
Fiber Dark

BR-242
Scar Bronze

5



CM-53
Shirotae
W=1220 H=765 box

CM-55
Ubatama
W=1220 H=765 box

CM-58
Ima Korin
W=1220 H=645 box

CM-57
Ima Tanyu
W=1220 H=645 box

6

A B C D E

METAL

code	size
BR, MA	W 1,220mm×L 50m
A	W 1,220mm×L 50m
CM, FM	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.
Do not use CM・FM type on 3D curved surface. Choose smooth, flat and non-porous substrates.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

1

CM-64
Hairline Stainless

CM-61
Yellow Bronze



CM-60
Red Bronze

CM-62
Dark Bronze

CM-63
Blue Bronze

2



FM-31
Shower Silver

FM-32
Shower Stain

FM-33
Shower Brass

FM-34
Shower Gold

A-829
Albata
W=430 H=670 1/2step

3

MA-700
Light Duralmin

MA-701
Dark Stainless

BR-391
Excess Silver

BR-392
Excess Gray

BR-393
Excess Black

4

BR-249
Silver Checker

BR-250
Brown Checker

BR-251
Charcoal Checker

5

FM-11
Bright Silver

FM-23
Clémantine Gold

6

A B C D E

Leather

code	size
K	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

1

K-202
Cream Calf
W=215 H=200 box

K-263
Ecru Leather
W=365 H=650 1/2step

K-257
Beige Calf
W=675 H=665 box

2

K-216
Marron Calf
W=225 H=335 1/2step

K-252
Dark Brown Calf
W=675 H=665 box

K-214
Bordeaux Calf
W=380 H=605 1/2step

K-201
Black Morocco
W=200 H=180 box

3

Stone

code	size
A, S, SA	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.

4

S-550
Bianco Carrara
W=455 H=655 1/2step

A-152
Perlino Marble
W=1220 H=660 box

SA-534
Marumo Palazzo
W=485 H=795 1/2step

SA-595
Filetto Chiaro
W=615 H=845 1/2step

5

Stucco

code	size
A, S, DA	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.

6

DA-59 NEW
White Duke
W=580 H=800 1/2step

S-571
Cool Guache
W=445 H=325 1/2step

A-833
Crema Argi
W=435 H=670 1/2step

A-851
Chiostro Arancio
W=490 H=960 1/2step

DA-60 NEW
Black Duke
W=580 H=800 1/2step

A B C D E

Basic Color Special Finish

code	size
CY	W 1,220mm×L 50m
MT	W 1,220mm×L 50m
SG	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.
Do not use SG and MT type on 3D curved surface. Choose smooth, flat and non-porous substrates.
The data below are only for reference. When selecting colors, always check the actual samples.

Color Fastness 3-5years

Silky Suede

Please refer to "Technical Data" P13-14.

1

MT-10 SS
Silky White
7.5Y 9.5/0.2

MT-11 SS
Silky Vanilla
10Y 9.0/0.7

MT-12 SS
Silky Snow
10B 8.8/0.1

MT-13 SS
Silky Ivory
6.5Y 8.8/1.0

2

SG-30
Seppaku
7.5Y 9.5/0.2

SG-31
Shiro Urushi
10Y 9.0/0.7

SG-32
Kogecha
10R 2.0/1.0

SG-33
Shikkoku
N0.3/

3

CY-100
Luminance White

CY-110
Luminance Beige

CY-104
Luminance Maroon

CY-109
Luminance Black

4

Sand

code	size
S	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.

5

S-752
Cream Sand
W=580 H=500 box

S-560
Light Gray Sand
W=580 H=500 box

S-561
Blue Gray Sand
W=580 H=500 box

6

S-500
Ivory Sand
W=590 H=670 box

S-526
Frosty Sand
W=300 H=670 1/2step

S-520
Gloaming Sand
W=300 H=670 1/2step

S-718
Black Sand
W=590 H=670 box

A B C D E

Basic Color

code	size
BC, NC	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.
The data below are only for reference. When selecting colors, always check the actual samples.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

1

NC-2150 NEW
Precious White
7GY 9.4/0.1

NC-050
Cool White
5PB 9.3/0.2

BC-040
Warm White
7.5Y 9.5/0.2

BC-2121 NEW
Mild White
1Y 9.2/0.6

2

NC-051
Shell White
10B 8.8/0.1

NC-2151 NEW
Trust White
10Y 9.0/0.4

BC-2131 NEW
Tender White
5Y 9.1/1.1

BC-2141 NEW
Soft White
8.5YR 8.9/0.9

3

NC-052
Pearl Gray
10B 8.3/0.3

BC-061
Pale White
5PB 9.8/0.5

BC-042
Shell Gray
6.5Y 8.8/1.0

BC-132 NEW
Milk White
2.5Y 8.7/1.0

BC-041
Lead White
5Y 8.8/1.0

4

NC-053
Silver Gray
8.5B 7.7/0.1

BC-043
Ivory Gray
6Y 8.2/1.0

BC-034
Pale Oyster
5Y 8.0/1.0

BC-023
Pale Ecru
7.5YR 8.0/1.0

5

NC-055
Sensive Gray
7.5B 6.5/0.5

BC-044
Pale Clay
5Y 7.3/1.0

BC-035
Oyster
2.5YR 6.8/2.0

BC-124
Ficelle Beige
10YR 7.1/1.8

6

NC-056
Mid Gray
10B 6.0/0.7

BC-045
Clay
6Y 6.8/1.0

BC-037
Umber
9YR 5.2/2.0

7

NC-057
Slate Gray
7.5B 4.4/0.5

BC-046
Mastic
1Y 6.0/1.0

BC-038
Chesnut Brown
9YR 3.8/1.5

8

NC-058
Charcoal Gray
5PB 2.8/0.5

BC-039
Sepia
4YR 3.0/1.0

9

NC-059
Black
N1.9/

BC-129
Burnt Umber
10R 1.7/0.7

A B C D E

Accent Color

code	size
PR	W 1,220mm×L 50m

When selecting from below, please be sure to read "Technical Data" P13-P15.
The data below are only for reference. When selecting colors, always check the actual samples.

Color Fastness 3-5years

Please refer to "Technical Data" P13-14.

1

PR-282
Bacchus Red
1R 3.0/9.6

PR-175
Agate
1R 4.4/13.3

PR-283
Italian Rose
9RP 5.3/11.2

2

PR-156
Wine Red
4R 3.8/7.0

PR-261
Carmine
2.5R 3.7/11.0

PR-280
Very Red
6R 3.7/12.3

3

PR-160
Cinnamon
10R 5.0/5.0

PR-262
Persimmon
10R 5.8/11.5

PR-278
Mari Gold
4YR 6.7/13.5

4

PR-142
Flax
10YR 6.8/4.0

PR-263
Sunflower
2Y 7.7/12.0

PR-277
Canary Yellow
7Y 8.8/11.0

5

PR-287
Tirol Green
5GY 4.9/5.0

PR-271
Bourgeon
5GY 8.5/5.0

6

PR-276
Elm Green
5G 3.5/5.0

PR-288
Peppermint Green
5.5BG 5.5/8.5

7

PR-265
Prussian Blue
2.5PB 3.0/5.0

PR-273
Mare Blue
5.5PB 4.5/10.0

PR-290
Ultramarine
6.5PB 3.4/12.8

PR-272
Sky Blue
5PB 5.8/7.0

8

PR-291
Cerulean
1.5PB 4.9/11.5

9

A B C D E

belbien EX

Color Fastness
about 10 years

belbien EX can be used for both interior and exterior applications ,
expected durability in terms of color-fastness is approximately 10 years.
It also provides an excellent stain resistance.

1

EA-6100 NEW
Haily White Plus
W=460 H=335 box

EW-1300 NEW
Line Walnut Plus
W=600 H=970 1/2step

EK-2206 NEW
Greek Calf
W=345 H=670 1/2step

ES-5229 NEW
Bianco Palazzo
W=485 H=795 1/2step

A B C D

code	size
E	W 1,220mm×L 50m

belbien EX

Stain resistance

In most cases , stains can be easily removed using a soft cloth and household cleaner such as dishwashing liquid , in other cases a solution of denatured alcohol will generally remove the stain.

Excellent weather resistance

The material is durable for approximately 10 years .

Designability

In addition to the designs which have been loved for years, basic and unique designs have been added.

EA, ES, EK, EW type can be used indoors and outdoors.
When selecting from below, please be sure to read "Technical Data" P13-P15.

B : Burl Grain C : Cathedral Grain S : Straight Grain SC : Straight / Cathedral Grain

Color Fastness about 10 years

Please refer to"Technical Data" P13-14.

1

EW-1707
Beat Oak
W=395 H=980 1/2step S

EW-1708
Rhythm Oak
W=395 H=980 1/2step S

EW-1202
Fair Wood
W=350 H=970 1/2step S

EW-1201
Regal Oak
W=415 H=970 1/2step C

EW-1805
Black Dao
W=520 H=1310 1/2step S

2

ES-5712
Silky Frost
W=250 H=405 1/2step

ES-5212
Snow Bessel
W=535 H=330 1/2step

ES-5200
Irish Clay
W=170 H=220 1/2step

EA-6710
Marzo Flor
W=230 H=325 1/2step

ES-5202
Mist Clay
W=170 H=220 1/2step

3

ES-5600
Perlino Skill
W=1220 H=650 box

ES-5103
Silver Stony
W=290 H=660 1/2step

EA-6005
Black Muse
W=1220 H=660 box

A B C D E

Transparent and decorative glass film

belbien Clea®

Stariation Effect

Shatter-Resistance Effectiveness

BELBIEN Clea is a glass decorative film distinguished by its fine design and precision texture. As the other side of the glass appears softly, it gives a sense of assurance in space. It is an ideal film for use to produce soft and modern spaces.

CV series

Material	PVC
Product Size	Width 1240mm Length 30m Thickness 100μm
UV transmittance	1% or less

CP series

Material	Polyester
Product Size	Width 1240mm Length 30m Thickness 50μm
UV transmittance	6% or less
Shatter-Resistance Effectiveness	Meets glass shatter-resistance standard JIS A 5759 (A method and B method). (A method / shot bag test; B method / relative story displacement test)

Stariation Effect

When a light source is placed on the reverse side, the light diffuses into a certain number of striations such as star shapes without dispersing. Therefore, it creates impressive lighting.

Shatter-Resistance Effectiveness

BELBIEN Clea incorporates shatter-resistance effectiveness (JIS A 5759) that prevents the second disaster from shattering and falling broken glass pieces caused by an earthquake or other incidents.

When selecting from below, please be sure to read "Technical Data" P17.

1

CV-001
Crysta

CV-002
Snow Crysta

CV-003
Pearl Crysta

2

CV-106
Emilia
*Peel off the separator to check the color

CV-252
Misty Emilia
*Peel off the separator to check the color

CV-202
Pearl Emilia

CV-107
Airy stripe

3

CP-3001
Multi Stripe

CP-3004
Multi Stripe

CP-3005
Vertical Stripe

CP-3006
Vertical Stripe

A | B | C | D



OFFICE

above / NTT Toranomon Building
architect / NTT FACILITIES, INC.
gate : DA-36 (Haily Black)

left / Nomura Conference Plaza Nihonbashi
wall : SW-111 (White Ash)
SW-112 (Charcoal Ash)

HOTEL

Nihondaira Hotel
architect / Nikken Sekkei LTD.
interior design / Nikken Space Design LTD.
left / hall ceiling : SW-118 (Naked Cherry)
right / room wall : SW-102 (Dandy Walnut)

HALL

Iino Hall
wall : SW-107 (Mach Mahogany)

SHOP

TOKYO Solamachi ®
wall : SW-115 (Naked Teak)

TOILET

Nihondaira Hotel
architect / Nikken Sekkei LTD.
interior design / Nikken Space Design LTD.
wall : SW-118 (Naked Cherry)

ELEVATOR

Shiroyama Trust Tower
wall : W-392 (Alabama Cherry)
doors : BR-392 (Excess Gray)

NTT Toranomon Building
architect / NTT FACILITIES, INC.
elevator gate : DA-36 (Haily Black)

Number Index

Code			P-C-R
A			
A-152			15-B-4
A-723			12-D-2
A-725			12-E-2
A-731			13-B-3
A-753			12-A-3
A-824			12-A-4
A-829		◌	14-E-2
A-830			12-A-2
A-831			12-B-2
A-832			12-C-2
A-833			15-C-6
A-843	NEW		26-B-4
A-844	NEW		22-A-4
A-845	NEW		22-B-4
A-846	NEW		22-C-4
A-851			15-D-6
A-853			12-A-1
BC			
BC-023			17-E-4
BC-034			17-D-4
BC-035			17-D-5
BC-037			17-D-6
BC-038			17-D-7
BC-039			17-D-8
BC-040		◌	17-C-1
BC-041			17-E-3
BC-042			17-C-3
BC-043			17-C-4
BC-044			17-C-5
BC-045			17-C-6
BC-046			17-C-7
BC-061			17-B-3
BC-2121	NEW		17-D-1
BC-124			17-E-5
BC-129		◌	17-D-9
BC-2131	NEW		17-D-2
BC-132	NEW		17-D-3
BC-2141	NEW		17-E-2
BC-142	NEW		2015 NEW
BR			
BR-242		◌	13-C-4
BR-249			14-A-4
BR-250		◌	14-B-4
BR-251		◌	14-C-4
BR-291			13-C-2
BR-292			13-D-2
BR-296			13-E-2
BR-381			13-A-4
BR-382			13-B-4
BR-391			14-C-3
BR-392			14-D-3
BR-393			14-E-3
BR-398			13-A-3
BR-600			13-C-1
BR-601			13-B-1
BR-602			13-D-1
BR-603			13-E-1
BR-604			13-A-1
C			
C-605			12-C-3
C-607			12-D-3
C-657			12-B-3
C-658			12-C-1
C-659			12-D-1
CM			
CM-51			9-C-3
CM-52			9-D-3
CM-53			13-A-5
CM-55			13-B-5
CM-57			13-D-5
CM-58			13-C-5
CM-60			14-C-1
CM-61			14-B-1
CM-62			14-D-1
CM-63			14-E-1
CM-64			14-A-1
CM-65	NEW		2014 NEW
CM-66	NEW		2014 NEW
CM-82			9-A-4
CM-83			9-B-4
CM-120	NEW		2015 NEW
CM-121	NEW		2015 NEW
CM-122	NEW		2015 NEW
CM-123	NEW		2015 NEW
CM-124	NEW		2015 NEW
CO			
CO-180	NEW	✦	23-A-2
CO-181	NEW	✦	23-B-2
CO-182	NEW	✦	23-C-2
CO-183	NEW	✦	2014 NEW
CO-195	NEW	✦	23-A-1
CO-196	NEW	✦	23-C-1
CO-197	NEW	✦	23-B-1
CO-198	NEW	✦	23-D-1
CO-281			13-B-2
CO-285			13-A-2
CO-291	NEW		23-D-2
CY			
CY-100			16-A-3
CY-104			16-C-3
CY-109		◌	16-D-3
CY-110			16-B-3
CY-111	NEW		23-B-4
DA			
DA-35			11-A-1
DA-36		◌	11-C-1
DA-37			11-B-1
DA-38	NEW		27-B-2
DA-39			11-A-3
DA-40			11-A-2
DA-41		◌	11-B-2
DA-42	NEW		26-A-4
DA-43	NEW		27-A-2
DA-44	NEW		28-A-4
DA-45	NEW		28-B-4
DA-46	NEW		28-C-4
DA-47	NEW		28-A-1
DA-48	NEW		28-B-1
DA-49	NEW		27-B-1
DA-50	NEW		27-D-1
DA-51	NEW		27-C-1
DA-52	NEW	◌	29-B-2
DA-53	NEW	◌	29-C-2
DA-54	NEW		29-A-2
DA-55	NEW		26-A-2
DA-56	NEW	◌	26-B-2
DA-57	NEW		26-A-1
DA-58	NEW		26-B-1
DA-59	NEW		15-A-6
DA-60	NEW		15-E-6
DA-61	NEW		26-C-1
DA-62	NEW		2014 NEW
DA-63	NEW		2014 NEW
DA-64	NEW		2014 NEW
DA-65	NEW		2014 NEW
DA-66	NEW		2014 NEW
DA-67	NEW		2014 NEW
DA-68	NEW		2014 NEW
DA-69	NEW		2014 NEW
DA-70	NEW		2015 NEW
DA-71	NEW		2015 NEW
DA-72	NEW		2015 NEW
DA-73	NEW		2015 NEW
DA-74	NEW		2015 NEW
DA-75	NEW		2015 NEW
E			
EA-6005		☀	31-C-3
EA-6100	NEW	☀	30-A-1
EA-6710		☀	31-D-2
EK-2206	NEW	☀	30-C-1
ES-5103		☀	31-B-3
ES-5200		☀	31-C-2
ES-5202		☀	31-E-2
ES-5212		☀	31-B-2
ES-5229	NEW	☀	30-D-1
ES-5600		☀	31-A-3
ES-5712		☀	31-A-2
EW-1201		☀	31-D-1
EW-1202		☀	31-C-1
EW-1300	NEW	☀	30-B-1
EW-1707		☀	31-A-1
EW-1708		☀	31-B-1
EW-1805		☀	31-E-1
F			
F-408	NEW	◌	26-D-3
F-409	NEW	✦	26-C-3
F-433			11-A-5
F-434			11-B-5
F-464			13-C-3
F-468	NEW		2015 NEW
F-469	NEW		2015 NEW
F-470	NEW		2015 NEW
F-714		◌	11-D-3
F-715		◌	11-C-3
F-716		◌	11-B-3
F-717	NEW		26-D-2
F-718	NEW	✦	26-C-2
F-719	NEW		27-A-1
F-720			11-A-4
F-721			11-B-4
F-722		◌	11-C-4
F-723		◌	11-D-4
F-2745	NEW	◌	26-A-3
F-746	NEW	◌	26-B-3
FM			
FM-11			14-A-5
FM-23			14-B-5
FM-31			14-A-2
FM-32			14-B-2
FM-33			14-C-2
FM-34			14-D-2
FM-37	NEW		23-A-4
FM-38	NEW		23-A-3
FM-39	NEW		23-B-3
FM-40	NEW		23-C-3
FM-41	NEW		23-D-3
FM-42	NEW		2014 NEW
FM-43	NEW		2014 NEW
K			
K-200	NEW	◌	22-A-1
K-201		◌	15-D-2
K-202			15-A-1
K-203	NEW	◌	22-B-1
K-206	NEW	◌	22-D-1
K-207	NEW	◌	22-C-1
K-214		◌	15-C-2
K-216			15-A-2
K-252			15-B-2
K-257			15-C-1
K-263			15-B-1
MA			
MA-700			14-A-3
MA-701			14-B-3
MT			
MT-10		SS	16-A-1
MT-11		SS	16-B-1
MT-12		SS	16-C-1
MT-13		SS	16-D-1
NC			
NC-050			17-B-1
NC-051			17-B-2
NC-052			17-A-3
NC-053			17-A-4
NC-055			17-A-5
NC-056			17-A-6
NC-057			17-A-7
NC-058		◌	17-A-8
NC-059		◌	17-A-9
NC-2150	NEW		17-A-1
NC-2151	NEW		17-C-2
NC-170	NEW		2015 NEW
NC-171	NEW		2015 NEW
NC-173	NEW		2015 NEW
NC-174	NEW		2015 NEW
NC-175	NEW		2015 NEW
NC-176	NEW		2015 NEW
PR			
PR-142			18-A-4
PR-156			18-A-2
PR-160			18-A-3
PR-175		◌	18-B-1
PR-261			18-B-2
PR-262			18-B-3
PR-263			18-B-4
PR-265			18-A-7
PR-271			18-D-5
PR-272			18-D-7
PR-273			18-B-7
PR-276		◌	18-B-6
PR-277		◌	18-C-4
PR-278			18-C-3
PR-280		◌	18-C-2
PR-282		◌	18-A-1
PR-283		◌	18-C-1
PR-287			18-B-5
PR-288			18-C-6
PR-290			18-C-7
PR-291			18-C-8
PR-300	NEW		2015 NEW
S			
S-500			16-A-6
S-519			12-B-1
S-520			16-C-6
S-526			16-B-6
S-534	NEW		22-A-3
S-535	NEW		22-B-3
S-536	NEW		22-C-3
S-537	NEW		22-D-3
S-550			15-A-4
S-560			16-B-5
S-561			16-C-5
S-571			15-B-6
S-718			16-D-6
S-752			16-A-5
SA			
SA-534			15-C-4
SA-595			15-D-4
SG			
SG-30			16-A-2
SG-31			16-B-2
SG-32			16-C-2
SG-33			16-D-2
SW			
SW-10			5-A-3
SW-15			4-A-1
SW-16		◌	5-A-1
SW-17		◌	4-B-3
SW-18			3-A-1
SW-19		◌	3-A-5
SW-20		◌	5-B-3
SW-24		◌	3-B-5
SW-25		◌	4-C-3
SW-26		◌	4-A-4
SW-27			3-B-1
SW-28			4-A-3
SW-32		◌	4-B-4
SW-33			2-A-4
SW-43			3-B-2
SW-44			2-B-4
SW-45			3-A-3
SW-46			3-A-4
SW-47			3-D-2
SW-48			5-C-4
SW-49		◌	5-D-4
SW-54			2-C-3
SW-55			2-D-3
SW-56			3-B-3
SW-57			3-B-4
SW-58			4-B-1
SW-59			4-D-1
SW-60			2-C-1
SW-61			2-D-1
SW-62			5-C-3
SW-63			4-D-3
SW-64		◌	2-C-2
SW-65		◌	9-D-5
SW-66		◌	2-C-4
SW-67		◌	2-D-4
SW-70			2-B-1
SW-72			2-C-5
SW-73		◌	9-C-5
SW-74		◌	4-A-5
SW-75		◌	4-B-5
SW-76			2-A-1
SW-77			9-C-4
SW-79		◌	4-C-1
SW-80			3-C-1
SW-81			3-C-2
SW-82			9-A-5
SW-84		◌	4-C-2
SW-85		◌	5-A-4
SW-86		◌	5-B-4
SW-88		◌	4-C-4
SW-89		◌	4-D-4
SW-90		◌	4-A-2
SW-91		◌	4-B-2
SW-92		◌	9-B-5
SW-93			3-D-1
SW-95			2-A-5
SW-96			2-B-5
SW-97		◌	2-D-5
SW-98		◌	3-D-3
SW-99		◌	3-D-5
SW-100		◌	3-C-3
SW-101		◌	3-C-4
SW-102		◌	3-C-5
SW-103		◌	5-C-1
SW-104		◌	5-C-2
SW-105		◌	5-B-1
SW-106		◌	5-B-2
SW-107		◌	5-A-2
SW-108		◌	4-C-5
SW-110		◌	9-D-4
SW-111			9-A-3
SW-112		◌	9-B-3
SW-113			1-B-1
SW-114			1-C-1
SW-115		◌	1-D-3
SW-116		◌	5-D-2
SW-117			3-A-2
SW-118			1-C-3
SW-119		◌	1-A-3
SW-120		◌	1-B-3
SW-121			10-C-2
SW-122		◌	10-D-2
SW-123			1-A-2
SW-124			1-B-2
SW-125			2-A-2
SW-126			2-B-2
SW-127	NEW		10-A-2
			24-C-2
SW-128	NEW		1-A-1
			29-A-1
SW-129	NEW		1-C-5
			29-D-1
SW-130	NEW		1-A-5
			29-B-1
SW-131	NEW		1-B-5
			29-C-1
SW-133	NEW		9-A-2
			24-A-2
SW-134	NEW		9-A-1
			24-A-1
SW-135	NEW		10-A-1
			24-C-1
SW-136	NEW		10-B-1
			24-D-1
SW-137	NEW		9-B-2
			24-B-2
SW-138	NEW		9-B-1
			24-B-1
SW-139	NEW		2-A-3
			25-A-4
SW-140	NEW		2-B-3
			25-B-4
SW-141	NEW		2014 NEW
SW-142	NEW		2014 NEW
SW-143	NEW		2014 NEW
SW-144	NEW		2015 NEW
SW-145	NEW		2015 NEW
SW-146	NEW		2015 NEW
SW-147	NEW		2015 NEW
SW-148	NEW		2015 NEW
W			
W-200			6-A-4
W-201			6-D-5
W-202		◌	6-D-6
W-203			6-D-3
W-205			7-C-6
W-206			8-C-3
W-207		◌	7-D-2
W-210			8-A-5
W-211		◌	8-B-5
W-213			7-B-3
W-215		◌	7-E-3
W-216			10-C-1
W-217			10-D-1
W-218		◌	8-E-6
W-223	NEW	◌	9-D-1
		◌	24-B-3
W-224	NEW		10-B-2
			24-D-2
W-244			6-D-2
W-245			6-E-2
W-248			8-C-2
W-249		◌	8-D-2
W-250			6-A-1
W-251			6-B-1
W-252			6-C-1
W-253			6-A-2
W-254			7-C-4
W-255		◌	7-A-5
W-262		◌	6-B-6
W-281		◌	8-B-6
W-282			8-C-5
W-303		◌	6-E-6
W-304	NEW		9-C-2
			24-A-4
W-305	NEW		9-C-1
			24-A-3
W-306	NEW		9-D-2
			24-B-4
W-316			6-B-3
W-320			7-B-1
W-321			7-E-1
W-327			7-A-2
W-330			7-C-3
W-333			8-B-3
W-334			6-C-3
W-336			8-D-3
W-345			6-A-5
W-346			6-B-5
W-356			8-E-3
W-358			8-E-2
W-360			7-C-5
W-364			8-D-5
W-367			8-A-4
W-371			8-B-4
W-372			8-C-4
W-373			7-E-4
W-374			7-D-4
W-376			8-A-6
W-377			7-B-2
W-378			7-E-2
W-385			6-E-3
W-388		◌	7-B-6
W-389			7-E-6
W-390			6-B-4
W-391		◌	6-C-6
W-392		◌	7-E-5
W-393		◌	8-C-1
W-394		◌	8-D-1
W-617	NEW		2015 NEW
W-618	NEW		2015 NEW
W-619	NEW		2015 NEW
W-620	NEW		2015 NEW
W-621	NEW		2015 NEW
W-714			6-D-1
W-715			6-E-1
W-716			6-B-2
W-717			6-C-2
W-719			6-C-4
W-720			6-D-4
W-721		◌	6-E-4
W-722			7-D-5
W-723			8-D-4
W-724		◌	8-E-4
W-726		◌	8-E-5
W-727			7-A-3
W-728			7-D-3
W-753			6-A-3
W-757			7-A-1
W-764		◌	7-A-6
W-765		◌	8-A-1
W-780			7-C-2
W-786			7-C-1
W-787			7-D-1
WA			
WA-225			8-A-3
WA-227			8-B-1
WA-229			8-E-1
WA-232			8-B-2
WA-233			8-A-2
WA-256			7-A-4
WA-257			7-B-4
WA-258			8-C-6
WA-259			8-D-6
WA-380			6-C-5
WA-381		◌	6-E-5
WA-382		◌	6-A-6
WA-386			7-B-5
WA-387			7-D-6
WB			
WB-400	NEW		10-B-4
			25-B-1
WB-401	NEW		10-A-4
			25-A-1
WB-402	NEW		10-C-4
			25-C-1
WB-403	NEW		10-A-5
			25-A-2
WB-404	NEW		10-B-5
			25-B-2
WB-405	NEW		10-C-5
			25-C-2

The products listed below differ from other BELBIEN products in specification and price.
See "Technical Data" P16-17 for details.

belbien Clea.	
CV-001	34-A-1
CV-002	34-B-1
CV-003	34-C-1
CV-106	34-A-2
CV-107	34-D-2
CV-202	34-C-2
CV-252	34-B-2
CP-3001	34-A-3
CP-3004	34-B-3
CP-3005	34-C-3
CP-3006	34-D-3

☀ Color Fastness about 10years | ◌ Color Fastness 3-5years | SS Silky Suede | ✦ Twinkling effect under lights. | Please refer to "Technical Data" P13-14.